

Home | Login | Logout | Access Information | Alerts |

#### Welcome United States Patent and Trademark Office

Search Session History

BROWSE SEARCH

**IEEE XPLORE GUIDE** 

Edit an existing query or compose a new query in the Search Query Display.

# Select a search number (#)

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Wed, 13 Jul 2005, 1:23:49 PM EST

Search Query Display

Recent Search Queries

#1 ((ewsuk)<in>metadata)

#2 ((ewsuk)<in>metadata)

#3 ((powder pressing)<in>metadata)

#4 ((powder pressing and axisymmetric)<in>metadata)

#5 ((powder and pressing and axisymmetric)<in>metadata)

#6 ((powder and pressing and geometric and shape?) <in>metadata)

Help Contact Us Privacy &:

@ Copyright 2005 IEEE -

Inspec\*

⊠e-mail



Home | Login | Logout | Access Information | Alerts |

#### Welcome United States Patent and Trademark Office

Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

**>>** 

Results for "((ewsuk)<in>metadata)"

Your search matched 1 of 1193303 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

#### » View Session History

#### » New Search

» Key

IEEE JNI, IEEE Journal or Magazine

IEE JNL

IEE Journal or Magazine

IEEE

**IEEE Conference** 

CNF

Proceeding IEE CNF IEE Conference

IEEE

STD

Proceeding **IEEE Standard**  Modify Search

((ewsuk)<in>metadata)

Check to search only within this results set

Display Format: ( Citation Citation & Abstract

1. In the News

Landman, U.; Hart, W.; Womble, D.; Ewsuk, K.G.; DeWeerth, S.; Miller, M.; Robert, P.; Computational Science and Engineering, IEEE [see also Computing in Science & Engil Volume 2, Issue 4, Winter 1995 Page(s):82

AbstractPlus | Full Text: PDF(384 KB) | IEEE JNL

Contact Us Privacy &:

@ Copyright 2005 IEEE -

indexed by



Home | Login | Logout | Access Information | Alerts |

### Welcome United States Patent and Trademark Office

Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results fo	r "(	(pov	٧de	er	р	e	SS	ir	ıg)	<	in	>me	tac	iata	a)	"
	-				_	_				_						

Your search matched 5 of 1193303 documents.

⊠e-mail

A maximu	ım of <b>100</b> results ar	e displayed	f, 25 to a page, sorted by Relevance in Descending order.
View Ses	sion History		
New Sea	rch	Modi	fy Search
» Кеу		((pow	der pressing) <in>metadata)</in>
ieee jni	_ IEEE Journal or Magazine		theck to search only within this results set
IEE JNL	IEE Journal or Magazine	Dispi	ay Format:   Citation Citation & Abstract
ieee Cnf	IEEE Conference Proceeding	Select	Article Information
IEE CNF IEEE STD	IEE Conference Proceeding		1. Thermoelectric properties of polycrystalline bismuth and bismuth-antimony allo Grabov, V.M.; Uryupin, O.N.; Komarov, V.A.; Thermoelectrics, 1998. Proceedings ICT 98. XVII International Conference on May 24 28, 1008 Page (2) 140.
			May 24-28, 1998 Page(s):138 - 140 <u>AbstractPlus</u>   Full Text: <u>PDF(</u> 220 KB)
			<ol> <li>Fabrication of piezoelectric ceramic/polymer composites by injection molding Bowen, L.J.; French, K.W.; Applications of Ferroelectrics, 1992. ISAF '92., Proceedings of the Eighth IEEE Internation on 30 Aug2 Sept. 1992 Page(s):160 - 163</li> </ol>
			AbstractPlus   Full Text: PDF(548 KB) IEEE CNF
			3. Coprime receding horizon feedback control of hot isostatic pressing Meyer, D.G.; Wadley, H.N.G.; Control Applications, 1992., First IEEE Conference on 13-16 Sept. 1992 Page(s):362 - 367 vol.1
			AbstractPlus   Full Text: PDF(296 KB)   IEEE CNF
		<b>C</b>	4. Critical behavior of ultrasonic wave velocities in porous piezoelectric ceramics Craciun, F.; Guidarelli, G.; Galassi, C.; Roncari, E.; Ultrasonics Symposium, 1997. Proceedings., 1997 IEEE Volume 1, 5-8 Oct. 1997 Page(s):573 - 576 vol.1
			AbstractPlus   Full Text: PDF(392 KB)   IEEE CNF
			<ol> <li>Dielectric properties of strontium hexaferrite in microwave, infrared and far infra Nikolic, P.M.; Zivanov, L.D.; Aleksic, O.S.; Dielectric Materials, Measurements and Applications, 1988., Fifth International Confere 27-30 Jun 1988 Page(s):332 - 335</li> </ol>
			AbstractPlus   Full Text: PDF(144 KB) IEE CNF
		***************************************	

Help Contact Us Privacy &:

© Copyright 2005 IEEE -

⊠e-mail



Home | Login | Logout | Access Information | Alerts |

Welcome United States Patent and Trademark Office

Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

**>>** 

Results for "((powder pressing and axisymmetric)<in>metadata)"

Your search matched 0 of 1193303 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» View Session History

» New Search

Modify Search

» Key

IEEE JNL IEEE Journal or

Magazine

IEE Journal or IEE JNL

Magazine

EEE CNF

**IEEE Conference** Proceeding

IEE CNF

IEE Conference

Proceeding

IEEE STD

IEEE Standard

((powder pressing and axisymmetric)<in>metadata)

Check to search only within this results set

Citation C Citation & Abstract

No results were found.

Display Format:

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revisir

Help Contact Us Privacy &:

@ Copyright 2005 IEEE --

indexed by **#Inspec** 



Home | Login | Logout | Access Information | Alerts |

#### Welcome United States Patent and Trademark Office

Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

**>>** 

Results for "((powder and pressing and axisymmetric)<in>metadata)"

Your search matched 0 of 1193303 documents.

☑ e-mail

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

#### » View Session History

» New Search

Modify Search

» Key

IEEE JNL IEEE Journal or

Magazine

IEE Journal or IEE JNL

Magazine

IEEE Conference

IEEE CNF

Proceeding

IEE CNF IEE Conference

Proceeding

IEEE STD

**IEEE Standard** 

((powder and pressing and axisymmetric)<in>metadata)

Check to search only within this results set

Citation C Citation & Abstract

No results were found.

Display Format:

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revisir

Help Contact Us Privacy &:

@ Copyright 2005 IEEE --

indexed by **Ainspec** 



Home | Login | Logout | Access Information | Alerts |

### Welcome United States Patent and Trademark Office

Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

>>

Results for "((powder and pressing and geometric and shape?)<in>metadata)" Your search matched 0 of 1193303 documents.

e-mail

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» View Session History

» New Search

Modify Search

» Key

IEEE JNE IEEE Journal or

Magazine

Check to search only within this results set Display Format:

((powder and pressing and geometric and shape?)<in>metadata)

© Citation © Citation & Abstract

REE

iee jnl

IEE Journal or Magazine

**IEEE Conference** Proceeding

CNF

HEEE

STD

IEE CNF IEE Conference

**Proceeding** 

IEEE Standard


No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revisir

Help Contact Us Privacy &:

@ Copyright 2005 IEEE --

indexed by **#Inspec** 



Search history:

No.	Database	Search term	Info added since	Results	
1	INZZ	ewsuk-k\$	unrestricted	18	show titles
2	INZZ	ewsuk-k\$ AND powder AND pressing	unrestricted	2	show titles
3	INZZ	ewsuk-k\$ AND powder AND pressing AND axisymmetric	unrestricted	0	
4	INZZ	powder ADJ pressing	unrestricted	91	show titles
5	INZZ	powder ADJ pressing AND axisymmetric	unrestricted	0	-
6	INZZ	powder ADJ pressing AND geometric AND shapes	unrestricted	0	-
7	INZZ	powder AND pressing AND axisymmetric	unrestricted	8	show titles
8	INZZ	powder AND pressing AND axisymmetric AND shapes	unrestricted	0	-
9	INZZ	powder AND pressing AND axisymmetric AND geometric	unrestricted	0	-

hide | delete all search steps... | delete individual search steps...

Enter your search term(s): <u>Search tips</u>	whole document	
Information added since: or: r	none	search
Select special search terms from the following Publication year	ng list(s):	
Classification codes A: Physics, 0-1		
Classification codes A: Physics, 2-3	;	
Classification codes A: Physics, 4-5	5, 18	
Classification codes A: Physics, 6		

options logoff feedback help	***
databases sage	

# **Titles**

To view one or many selected titles scroll down the list and click the corresponding boxes. Then click display at the t page. To view one particular document click the link above the title to display immediately.

		ents 1 to 18 of 18 from your search " <b>ewsuk-k\$"</b> in all the available information: of titles selected from other pages: 0
	:	Select All
<u> </u>	و ا	display full document
		2002. (INZZ) Reactive hot pressing of alumina-molybdenum disilicide composites.
<u> </u>	2 9	display full document
		2001. (INZZ) Mechanical properties and shear failure surfaces for two alumina powders in triaxial compression.
□ 3	} ,	display full document
		1999. (INZZ) Interfacial microstructure formed by reactive metal penetration of Al into mullite.
<b>D</b> 4	ŀ	display full document
		1999. (INZZ) Transmission electron microscopy study of interfacial microstructure formed by reacting Al-Mg alloy with mullite at high temperature.
[ 5	,	display full document
		1998. (INZZ) A study of Mo-V and Mo-V-Fe alloys for conductive cermet applications.
$\Box$ 6	,	display full document
		1998. (INZZ) Kinetics of ceramic-metal composite formation by reactive metal penetration.
7	, <u>(</u>	display full document
	-	1997. (INZZ) Ceramic-metal composite formation by reactive metal penetration.
T 8	3	display full document
	(	1996. (INZZ) Microstructure and properties of Al/sub 2/O/sub 3/-Al(Si) and Al/sub 2 /O/sub 3/-Al (Si)-Si composites formed by in situ reaction of Al with aluminosilicate ceramics.
□ 9	9	display full document
		1996. (INZZ) Formation of structural intermetallics by reactive metal penetration of Ti and Ni oxides and aluminates.
<u> </u>	0 0	display full document
	1	1996. (INZZ) Microstructure and composition of Al-Al/sub 2/O/sub 3/ composites made by reactive metal penetration.
	1	display full document
	7	1995. (INZZ) Ceramic granule strength variability and compaction behavior.
□ 1	ي 2	display full document
	1	1995. (INZZ) Characterization techniques to validate models of density variations in pressed powder

	compacts.
13	display full document
	1996. (INZZ) Synthesis of Al/sub 2/O/sub 3/-Al composites by reactive metal penetration.
14	display full document
	1996. (INZZ) Effects of composition and atmosphere on reactive metal penetration of aluminium in mullite.
15	display full document
	1995. (INZZ) TEM characterization of Al/Al/sub 2/O/sub 3/ composite fabricated by reactive metal infiltration.
16	display full document
	1995. (INZZ) Transmission electron microscopy study of Al/Al/sub 2/O/sub 3/ composites fabricated by reactive metal infiltration.
17	display full document
	1989. (INZZ) A study of the thermal conductivity of alumina/glass dispersed composites.
18	display full document
	1984. (INZZ) Densification of sintered lead zirconate titanate by hot isostatic pressing.

Selection	Display Format	Output Format	ERA <sup>SM</sup> Electronic Redistribution & Archivi						
from this page from all pages	Full Free Short Medium Custom Help with Formats	<ul><li>HTML</li><li>Tagged (for tables)</li><li>PDF</li><li>RTF</li></ul>	Copies you will redistribute:  Employees who will access archived record (s):  Help with ERA						
	Sort your entire search result by Publication year Ascending								

Top - News & FAQS - Dialog

Dial	DataS	tar			
options	logoff	feedback	help		* * *
	····				

To view one or many selected titles scroll down the list and click the corresponding boxes. Then click display at the t page. To view one particular document click the link above the title to display immediately.

Documents 1 to 2 of 2 from your search "ewsuk-k\$ AND powder AND pressing" in all the available information:

Number of titles selected from other pages: 0

¬.	O - 1	lect	
	~~		A I I

1 display full document

2001. (INZZ) Mechanical properties and shear failure surfaces for two alumina powders in triaxial compression.

<sup>2</sup> display full document

1996. (INZZ) Microstructure and properties of Al/sub 2/O/sub 3/-Al(Si) and Al/sub 2 /O/sub 3/-Al(Si)-Si composites formed by in situ reaction of Al with aluminosilicate ceramics.

Selection	Display Format	Output Format	ERA SM Electronic Redistribution &	Archivin
from this page from all pages	Full Free Short Medium Custom Help with Formats	<ul><li>HTML</li><li>Tagged (for tables)</li><li>PDF</li><li>RTF</li></ul>	Copies you will redistribute: Employees who will access archived record (s): Help with ERA	
	Sort your	entire search	r <b>esult by</b> Publication year As	scending

Top - News & FAQS - Dialog


Dial®g	DataS	tar				
options	logoff	feedback	h∉lp			* * *
				(ET)		

# **Titles**

To view one or many selected titles scroll down the list and click the corresponding boxes. Then click display at the t page. To view one particular document click the link above the title to display immediately.


information:	е
Number of titles selected from other pages: 0	
Select All	
1 display full document	
2005. (INZZ) Finite element analysis of the compaction processes for hollow three- level (class IV) components.	
2 <u>display full document</u>	
2002. (INZZ) Rapid synthesis of dense Ti/sub 3/SiC/sub 2/ by spark plasma sintering.	
3 <u>display full document</u>	
2000. (INZZ) Microstructural characteristics of 2124 Al-40 vol.% SiCp metal matrix composites produced by room temperature shock consolidation and hot shock consolidation.	
4 display full document	
1999. (INZZ) Near-net-shape forming of 316L stainless steel powder under hot isostatic pressing.	
5 <u>display full_document</u>	
1994. (INZZ) Evaluation of whisker alignment in axisymmetric SiC/sub w/-reinforced Al/sub 2/O/s 3/ composite materials.	ub
6 display full document	
1994. (INZZ) Finite element simulation of hot isostatic pressing of metal powders.	
<sup>7</sup> display full document	
1992. (INZZ) Models for inelastic deformation of particles associated with hot <b>pressing</b> of metal matrix composites.	
8 display full document	
1977. (INZZ) Distribution of pressure and density in axisymmetric compacts produced by pressing in rigid dies.	9

Selection Display Format		Output Format	ERA SM Electronic Redistribution & Archiv		
from this page from all pages	<ul><li>Full</li><li>Free</li><li>Short</li></ul>	<ul><li>HTML</li><li>Tagged (for tables)</li><li>PDF</li></ul>	Copies you will redistribute: Employees who will access archived record (s): Help with ERA		



# **Document**

Select the documents you wish to <u>save</u> or <u>order</u> by clicking the box next to the document, or click the link above the document to order directly.



### USPTO Full Text Retrieval Options

#### document 4 of 8 Order Document

INSPEC - 1969 to date (INZZ)

#### Accession number & update

6212332, A1999-10-8120E-003; 19990401.

#### **Title**

Near-net-shape forming of 316L stainless steel powder under hot isostatic pressing.

### Author(s)

Jeon-Y-C; Kim-K-T.

#### **Author affiliation**

Dept of Mech Eng, Pohang Inst of Sci & Technol, South Korea.

#### Source

International-Journal-of-Mechanical-Sciences (UK), vol.41, no.7, p.815-30, July 1999. , Published: Elsevier.

#### CODEN

IMSCAW.

#### **ISSN**

ISSN: 0020-7403, CCCC: 0020-7403/99/ (\$20.00).

### **Availability**

SICI: 0020-7403(199907)41:7L.815:NSF3; 1-2

Electronic Journal Document Number: S0020-7403(98)00053-8.

#### **Publication year**

1999.

#### Language

EN.

#### **Publication type**

J Journal Paper.

#### **Treatment codes**

T Theoretical or Mathematical; X Experimental.

#### **Abstract**

Near-net-shape forming of 316L stainless steel **powder** is investigated under hot isostatic **pressing** (HIPing). A stainless steel **powder** compact and an insert were encapsulated by a stainless steel container and hot isostatically pressed to produce an **axisymmetric** near-net-shape part. To simulate densification and deformation of a **powder** compact in the container during HIPing, the constitutive model of Abouaf et al. (1988), and that of McMeeking and co-workers (1992) were implemented into a finite element analysis. The thickness effect of the container on densification was also studied for the **axisymmetric** part during HIPing. Densification of a three-dimensional asymmetric part during HIPing

was also investigated by comparing finite element calculations with experimental data by Eisen et al. (1997). (13 refs).

#### **Descriptors**

austenitic-stainless-steel; deformation; densification; encapsulation;

finite-element-analysis; forming-processes; hot-pressing; powder-metallurgy; powders.

#### Keywords

near net shape forming; 316L stainless steel **powder**; hot isostatic **pressing**; HIPing; stainless steel **powder** compact; insert; encapsulation; stainless steel container; **axisymmetric** near net shape part; densification; deformation; **powder** compact; constitutive model; finite element analysis; thickness effect; **axisymmetric** part; three dimensional asymmetric part; finite element calculations.

#### Classification codes

A8120E (**Powder** techniques, compaction and sintering).

A8120G (Preparation of metals and alloys (compacts, pseudoalloys)). A8140L (Deformation, plasticity and creep).

A6220F (Deformation and plasticity).


### Chemical indexing

Cr ss, Fe ss, Ni ss, C ss.


#### Copyright statement

Copyright 1999, IEE.

COPYRIGHT BY Inst. of Electrical Engineers, Stevenage, UK




Top - News & FAQS - Dialog



# **Document**

Select the documents you wish to <u>save</u> or <u>order</u> by clicking the box next to the document, or click the link above the document to order directly.



# document 6 of 8 Order Document

INSPEC - 1969 to date (INZZ)

#### Accession number & update

4691624, A9415-8120E-001, C9408-7320-007; 940615.

#### **Title**

Finite element simulation of hot isostatic pressing of metal powders.

#### Author(s)

Jinka-A-G-K; Lewis-R-W.

#### Author affiliation

Inst of Numerical Methods in Eng, Univ Coll of Swansea, UK.

#### Source

Computer-Methods-in-Applied-Mechanics-and-Engineering (Netherlands), vol.114, no.3-4, p.249-72, April 1994.

### **CODEN**

CMMECC.

### **ISSN**

ISSN: 0045-7825, CCCC: 0045-7825/94/ (\$07.00).

#### **Publication year**

1994.

#### Language

EN.

#### Publication type

J Journal Paper.

#### Treatment codes

P Practical.

#### **Abstract**

A finite element simulation of hot isostatic **pressing** of metal powders is studied using a mixed formulation method having velocity and pressure as nodal variables. A review of various methodologies formulated for the finite element modeling of hot isostatic **pressing** of powders is also presented. The constitutive relations considered are based on the theory of plasticity for **powder** material under the framework of hot deformations to model the creep behaviour of the **powder** material. The material behaviour of the container is modeled by incompressible plasticity via a power-law creep formulation. The extra constraints imposed in the **axisymmetric** approximation are eliminated by adapting suitable shape functions. The various material properties are assumed to be functions of temperature and relative density. The thermomechanical behaviour of powders is effectively modeled by a nonlinear transient heat transfer model, which is presented. A computational procedure for coupling the

mechanical deformation with a thermal analysis is also addressed. The application of the methodology is illustrated via the simulation of cylindrical **powder** metallurgy parts. (40 refs).

#### **Descriptors**

<u>digital-simulation</u>; <u>finite-element-analysis</u>; <u>hot-pressing</u>; <u>mechanical-engineering-computing</u>; <u>physics-computing</u>; <u>powder-metallurgy</u>.


#### Keywords

finite element simulation; hot isostatic **pressing**; metal powders; mixed formulation method; velocity; pressure; nodal variables; constitutive relations; plasticity; **powder** material; hot deformations; creep behaviour; incompressible plasticity; power law creep formulation; **axisymmetric** approximation; shape functions; thermomechanical behaviour; nonlinear transient heat transfer model; computational procedure; mechanical deformation; thermal analysis; cylindrical **powder** metallurgy parts.


#### Classification codes

A8120E	(Powder techniques, compaction and sintering).
A0260	(Numerical approximation and analysis).
C7320	(Physics and Chemistry).
C6185	(Simulation techniques).
C7440	(Civil and mechanical engineering).
C3355	(Manufacturing processes).

#### COPYRIGHT BY Inst. of Electrical Engineers, Stevenage, UK




Top - News & FAQS - Dialog



# Document

Select the documents you wish to save or order by clicking the box next to the document, or click the link above the document to order directly.



# US: 10 Full ex Remeval Onlines

document 7 of 8 Order Document

INSPEC - 1969 to date (INZZ)

#### Accession number & update

4341099, A9306-8120J-004; 930203.

Models for inelastic deformation of particles associated with hot **pressing** of metal matrix composites.

# Author(s)

Tszeng-T-C; Ohriner-E-K; Sikka-V-K.

#### Author affiliation

Metals & Ceramics Div, Oak Ridge Nat Lab, TN, USA.

Transactions-of-the-ASME-Journal-of-Engineering-Materials-and-Technology (USA), vol.114, no.4, p.422-31, Oct. 1992.

#### CODEN

JEMTA8.

# **ISSN**

ISSN: 0094-4289.

### Publication year

1992.

#### Language

EN.

#### Publication type

J Journal Paper.

#### Treatment codes

T Theoretical or Mathematical.

#### Abstract

During fabrication of fiber reinforced metal-matrix composites by hot pressing, fiber breakage due to particles impingement during consolidation of fiber/particle system is very common. In studying the fiber breakage, one of the main issues is the interactions between fibers and particles during consolidation. The authors investigated the problem of fiber/particle interactions by examining a unit problem consisting of a deformable particle and a cylinder. An engineering model for axisymmetric deformation of a particle induced by a rigid sphere was developed first and then extended to the interactions between a deformable particle and a rigid cylinder. The calculations were compared with experiments on lead balls, good agreement was observed. The model was then applied to determining the maximum bending stress in fibers using the simple beam theory. A safe criterion for preventing fibers from breaking was found. (33 refs).

#### **Descriptors**

<u>composite-material-interfaces</u>; <u>deformation</u>; <u>densification</u>; <u>fibre-reinforced-composites</u>; <u>hot-pressing</u>; <u>powder-metallurgy</u>.

#### Kevwords


fiber particle interaction; inelastic deformation; hot **pressing**; fabrication; fiber reinforced metal matrix composites; fiber breakage; consolidation; bending stress.

#### Classification codes


A8120J (Dispersion-, fibre-, and platelet-reinforced metal-based

	composites).
A8120E	(Powder techniques, compaction and sintering).
A8140L	(Deformation, plasticity and creep).
A6220F	(Deformation and plasticity).

COPYRIGHT BY Inst. of Electrical Engineers, Stevenage, UK




Top - News & FAQS - Dialog



# **Document**

Select the documents you wish to <u>save</u> or <u>order</u> by clicking the box next to the document, or click the link above the document to order directly.



## USPTO Full Text Retrieval Options

## document 8 of 8 Order Document

INSPEC - 1969 to date (INZZ)

#### Accession number & update

1378270, A79066022; 790000.

#### Title

Distribution of pressure and density in axisymmetric compacts produced by pressing in rigid dies.

### Author(s)

Zhdanovich-G-M; Yakubovskii-Ch-A.

### **Author affiliation**

Polytech Inst, Minsk, Byelorussian SSR, USSR.

#### Source

**Soviet-Powder-Metallurgy-and-Metal-Ceramics** (USA), vol.16, no.12, p.944-9, Dec. 1977. Translation of: Poroshkovaya-Metallurgiya (Ukrainian SSR), vol.16, no.12, p.47-53, Dec. 1977.

#### CODEN

PMANAI, CODEN of Translation: SPMCAV.

# ISSN

ISSN: 0032-4795, ISSN of Translation: 0038-5735.

### **Publication year**

1977.

#### Language

EN.

### **Publication type**

J Journal Paper.

### **Treatment codes**

T Theoretical or Mathematical; X Experimental.

#### **Abstract**

An examination is made of problems of pressure and density distribution in the **pressing** of **axisymmetric** compacts in rigid dies. A new method is proposed for the mathematical analysis of the fundamental quantitative regularities of pressure and density distribution in **axisymmetric** compacts, which enables a general solution of the problem under consideration to be obtained. Results of experimental investigations confirm the validity of the theoretical conclusions reached. (7 refs).

#### **Descriptors**

powder-technology; sintering.


#### **Keywords**

**axisymmetric** compacts; **pressing** in rigid dies; density distribution; mathematical analysis; pressure distribution; sintered **powder** compacts.

### Classification codes

A8120E (Powder techniques, compaction and sintering).

COPYRIGHT BY Inst. of Electrical Engineers, Stevenage, UK



Top - News & FAQS - Dialog



Subscribe (Full Service) Register (Limited Service, Free) Login

Search: The ACM Digital Library The Guide

powder and pressing and axisymmetric and shapes

# HE ACM DIGITAL LIBRAR

Feedback Report a problem Satisfaction survey

Terms used

powder and pressing and axisymmetric and shapes

Found 2,473 of 157,873

Relevance scale ...

Sort results

Best 200 shown

relevance by Display expanded form results

Save results to a Binder 2 Search Tips

Try an Advanced Search Try this search in The ACM Guide

Open results in a new window

Results 1 - 20 of 200

Result page: **1** <u>2</u> <u>3</u> <u>4</u> <u>5</u> <u>6</u> <u>7</u> <u>8</u> <u>9</u> <u>10</u>

Natural phenomena: Animation and control of breaking waves Viorel Mihalef, Dimitris Metaxas, Mark Sussman

August 2004 Proceedings of the 2004 ACM SIGGRAPH/Eurographics symposium on **Computer animation** 

Full text available: Republic Additional Information: full citation, abstract, references, index terms

Controlling fluids is still an open and challenging problem in fluid animation. In this paper we develop a novel fluid animation control approach and we present its application to controlling breaking waves. In our <i>Slice Method</i> framework an animator defines the shape of a breaking wave at a desired moment in its evolution based on a library of breaking waves. Our system computes then the subsequent dynamics with the aid of a 3D Navier-Stokes solver. The wave dynamics previous t ...

The APL theory of human vision

Gérard A. Langlet

August 1994 ACM SIGAPL APL Quote Quad, Proceedings of the international conference on APL: the language and its applications: the language and its applications, Volume 25 Issue 1

Full text available: Report (1.89 MB)

Additional Information: full citation, references, citings, index terms, review

Full papers: Computational schemes for biomimetic sculpture Brower Hatcher, Karl Aspelund, Andrew Willis, Jasper Speicher, David B. Cooper, Frederic F.

April 2005 Proceedings of the 5th conference on Creativity & cognition

Full text available: pdf(3.02 MB)

Additional Information: full citation, abstract, references, index terms

A prototype system for the automatic evolution of biomimetic structures using structural automata is described and its utility for generating digital sculpture is demonstrated. Sculptures are generated from a primordial shape which is represented in terms of a triangular mesh and sculpture is created by extending the original surface using tetrahedral structural elements. Recursively applicable rules or equivalently, automata, are defined which allow the sculptor to generate a volumetric scaffol ...

Keywords: 3D modeling, 3D shape representation, biomimetic sculpture, deformable surface models, virtual sculpting

4	Computer aided input/output for use with the finite element method of structural analysis Robert D. Rockwell, Daniel S. Pincus June 1970 Proceedings of the 7th workshop on Design automation	- 3333
	Full text available: pdf(737.49 KB) Additional Information: full citation, abstract, references, index terms	
	The enormous computational ability of modern computers has encouraged development of the finite element method of structural analysis. However, preparing the large amount of input data and interpreting the large amount of output data generated by the analysis can be very time consuming and costly. For this reason, the computer programs IDLZ and ØSPL were developed. IDLZ divides a plane surface into triangular elements and generates required input data for the analysis program. &Oslas	
5	Special issue on word sense disambiguation: Topical clustering of MRD senses based on information retrieval techniques  Jen Nan Chen, Jason S. Chang  March 1998 <b>Computational Linguistics</b> , Volume 24 Issue 1	*******
	Full text available: Additional Information: full citation, abstract, references, citings  Publisher Site	
	This paper describes a heuristic approach capable of automatically clustering senses in a machine-readable dictionary (MRD). Including these clusters in the MRD-based lexical database offers several positive benefits for word sense disambiguation (WSD). First, the clusters can be used as a coarser sense division, so unnecessarily fine sense distinction can be avoided. The clustered entries in the MRD can also be used as materials for supervised training to develop a WSD system. Furthermore, if t	
6	The space between: fine art and technology Will Tait	
	February 1998 ACM SIGGRAPH Computer Graphics, Volume 32 Issue 1	
	Full text available: pdf(1.23 MB) Additional Information: full citation, index terms	
7	Smoke simulation for large scale phenomena Nick Rasmussen, Duc Quang Nguyen, Willi Geiger, Ronald Fedkiw July 2003 ACM Transactions on Graphics (TOG), Volume 22 Issue 3	***
	Full text available: pdf(687.57 KB)  Additional Information: full citation, abstract, references, citings, index ierms	
	In this paper, we present an efficient method for simulating highly detailed large scale participating media such as the nuclear explosions shown in figure 1. We capture this phenomena by simulating the motion of particles in a fluid dynamics generated velocity field. A novel aspect of this paper is the creation of highly detailed three-dimensional turbulent velocity fields at interactive rates using a low to moderate amount of memory. The key idea is the combination of two-dimensional high reso	
	<b>Keywords</b> : Kolmogorov spectrum, incompressible Navier-Stokes equations, smoke, wind fields	
8	PELLPACK: a problem-solving environment for PDE-based applications on multicomputer platforms	

	E. N. Houstis, J. R. Rice, S. Weerawarana, A. C. Catlin, P. Papachiou, KY. Wang, M. Gaitatzes March 1998 <b>ACM Transactions on Mathematical Software (TOMS)</b> , Volume 24 Issue 1	
	Full text available: pdf(26.30 MB)  Additional Information: full citation, abstract, references, citings, index lerms, review	
	The article presents the software architecture and implementation of the problem-solving environment (PSE) PELLPACK for modeling physical objects described by partial differential equations (PDEs). The scope of this PSE is broad, as PELLPACK incorporates many PDE solving systems, and some of these, in turn, include several specific PDE solving methods. Its coverage for 1D, 2D. and 3D elliptic or parabolic problems is quite broad, and it handles some hyperbolic problems, Since a PSE should p	
	<b>Keywords</b> : PDE language, execution models, knowledge bases, libraries, parallel reuse methodologies, problem-solving environments, programming-in-the-large, sofeware bus	
9	An updated survey of GA-based multiobjective optimization techniques Carlos A. Coello June 2000 ACM Computing Surveys (CSUR), Volume 32 Issue 2	2011112
	Full text available: Additional Information: full citation, abstract, references, citings, index	
	terms	
	After using evolutionary techniques for single-objective optimization during more than two decades, the incorporation of more than one objective in the fitness function has finally become a popular area of research. As a consequence, many new evolutionary-based approaches and variations of existing techniques have recently been published in the technical literature. The purpose of this paper is to summarize and organize the information on these current approaches, emphasizing the importanc	
	<b>Keywords:</b> artificial intelligence, genetic algorithms, multicriteria optimization, multiobjective optimization, vector optimization	
10	The selenium rectifier: a non-linear and assymetric resistance element	
	Norm Hardy May 1952 Proceedings of the 1952 ACM national meeting (Pittsburgh)	
	Full text available: pdf(647.94 KB) Additional Information: full citation	
, <b>11</b>	The computer bowl Karen A. Frenkel February 1989 Communications of the ACM, Volume 32 Issue 1	
	Full text available: pdf(2.21 MB) Additional Information: full citation, index terms	
12	Direct and intuitive input device for 3-D shape deformation  Tamotsu Murakami, Naomasa Nakajima  April 1994 Proceedings of the SIGCHI conference on Human factors in computing	
	systems: celebrating interdependence Full text available: pdf(1.20 MB) Additional Information: full citation, references, citings, index terms	

Keywords: computer graphics, computer-aided design, free-form deformation, human interface, input device

13	Twister: a space-warp operator for the two-handed editing of 3D shapes	
	Ignacio Llamas, Byungmoon Kim, Joshua Gargus, Jarek Rossignac, Chris D. Shaw July 2003 ACM Transactions on Graphics (TOG), Volume 22 Issue 3	
	Full text available: pdf(2.99 MB)  Additional Information: full citation, abstract, references, citings, index terms	
	A free-form deformation that warps a surface or solid may be specified in terms of one or several point-displacement constraints that must be interpolated by the deformation. The Twister approach introduced here, adds the capability to impose an orientation change, adding three rotational constraints, at each displaced point. Furthermore, it solves for a space warp that simultaneously interpolates two sets of such displacement and orientation constraints. With a 6 DoF magnetic tracker in each ha	
	<b>Keywords:</b> displacement and orientation constraints, free-form deformation, two-handed interaction	
14	2-2 VRC in engineering: Spline-based volumetric modeling and printing for bioceramic implants	
	R. A. Yan, H. N. Cheang, F. Lin	•
	June 2004 Proceedings of the 2004 ACM SIGGRAPH international conference on Virtual Reality continuum and its applications in industry	
	Full text available: pdf(3.17 MB) Additional Information: full citation, abstract, references, index terms	
	This paper presents an integrated system for bioceramic implant modeling and printing. To actualize the concept of "Made-to-order implants - customized body parts", Spline based volumetric modeling, new approaches and applications of volumetric modeling and Rapid Prototyping in medical implant, is effective in constructing/reconstructing the normal and defective bone structures and to interface the constructed/reconstructed medical models for rapid prototyping. The feasibility of using the 3DP t	
	<b>Keywords:</b> bioceramic, biocomposite implant, spline-based volumetric modeling, three-dimensional printing	
15	Exploring interactive curve and surface manipulation using a bend and twist sensitive input strip	
	Ravin Balakrishnan, George Fitzmaurice, Gordon Kurtenbach, Karan Singh April 1999 <b>Proceedings of the 1999 symposium on Interactive 3D graphics</b>	
	Full text available: pdf(716.04 KB) Additional Information: full citation, references, citings, index terms	
	<b>Keywords</b> : 3D modeling, ShapeTape, bimanual input, curves, gestures, input devices, interaction techniques, surfaces	
16	Bender: a virtual ribbon for deforming 3D shapes in biomedical and styling applications Ignacio Llamas, Alexander Powell, Jarek Rossignac, Chris D. Shaw June 2005 Proceedings of the 2005 ACM symposium on Solid and physical modeling	
	Full text available: pdf(873.92 KB) Additional Information: full citation, abstract, references, index terms	
	In contrast to machined mechanical parts, the 3D shapes encountered in biomedical or styling applications contain many tubular parts, protrusions, engravings, embossings, folds,	

and smooth bends. It is difficult to design and edit such features using the parameterized operations or even free-form deformations available in CAD or animation systems. The Bender tool proposed here complements previous solutions by allowing a designer holding a 6 DoF 3D tracker in each hand to control the position an ...

**Keywords:** 6 DOF tracker, adaptive subdivision, biarc, deformation, space-warp

17 Session 7: Shape segmentation using local slippage analysis	
Natasha Gelfand, Leonidas J. Guibas  July 2004 Proceedings of the 2004 Eurographics/ACM SIGGRAPH symposium on  Geometry processing	
Full text available: pdf(282.14 KB) Additional Information: full citation, abstract, references, index terms	
We propose a method for segmentation of 3D scanned shapes into simple geometric parts. Given an input point cloud, our method computes a set of components which possess one or more slippable motions: rigid motions which, when applied to a shape, slide the transformed version against the stationary version without forming any gaps. Slippable shapes include rotationally and translationally symmetrical shapes such as planes, spheres, and cylinders, which are often found as components of scanned mec	
18 Tapping vs. circling selections on pen-based devices: evidence for different performance-shaping factors	
Sachi Mizobuchi, Michiaki Yasumura April 2004 Proceedings of the SIGCHI conference on Human factors in computing	
systems Full text available: pdf(340.47 KB) Additional Information: full citation, abstract, references, index terms	
Tapping-based selection methods for handheld devices may need to be supplemented with other approaches as increasingly complex tasks are carried out using those devices. Circling selection methods (such as the Lasso) allow users to select objects on a touch screen by circling with a pen. An experimental comparison of the selection time and accuracy between a circling method and a traditional tapping style of selection was carried out. The experiment used a two dimensional grid (varying in terms	
<b>Keywords:</b> gesture input, handheld devices, input and interaction technologies, pen user interface, target selection	
19 Manual and cognitive benefits of two-handed input: an experimental study Andrea Leganchuk, Shumin Zhai, William Buxton December 1998 ACM Transactions on Computer-Human Interaction (TOCHI), Volume 5 Issue 4	
Full text available: pdf(537,49 KB)  Additional Information: <u>full citation</u> , <u>abstract</u> , <u>references</u> , <u>citings</u> , <u>index</u> terms	
One of the recent trends in computer input is to utilize users' natural bimanual motor skills. This article further explores the potential benefits of such two-handed input. We have observed that bimanual manipulation may bring two types of advantages to human-computer interaction: manual and cognitive. Manual benefits come from increased time-motion efficiency, due to the twice as many degrees of freedom simultaneously available to the user. Cognitive benefits arise as a result of reducing	
Keywords: bimanual input, input devices, two-handed input	
Special section: Reasoning about structure, behavior and function	

B. Chandrasekaran, Rob Milne July 1985 **ACM SIGART Bulletin**, Issue 93

Full text available: pdf(5.13 MB) Additional Information: full citation, abstract, references

The last several years' of work in the area of knowledge-based systems has resulted in a deeper understanding of the potentials of the current generation of ideas, but more importantly, also about their limitations and the need for research both in a broader framework as well as in new directions. The following ideas seem to us to be worthy of note in this connection.

Results 1 - 20 of 200

Result page: 1 2 3 4 5 6 7 8 9 10 next

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc.

<u>Terms of Usage Privacy Policy Code of Ethics Contact Us</u>

Useful downloads: Adobe Acrobat QuickTime Windows Media Player Real Player

# **WEST Search History**

Hide Items		

DATE: Wednesday, July 13, 2005

Hide?	<u>Set Nan</u>	<u>ne Query</u>	Hit Count
	DB=PC	GPB,USPT; THES=ASSIGNEE; PLUR=YES; OP=AD.	I
	L5	L2 and powder pressing	0
	L4	L2 and (geometric near shape?)	1
	L3	L2 and ((powder near pressing) same axisymmetric)	0
	L2	powder and pressing and axisymmetric	91
	L1	ewsuk.in.	0

**END OF SEARCH HISTORY** 

# **Hit List**

Clear Generate Collection Print Fwd Refs Bkwd Refs
Generate OACS

# **Search Results -** Record(s) 1 through 1 of 1 returned.

1. Document ID: US 20020170436 A1

L4: Entry 1 of 1

File: PGPB

Nov 21, 2002

PGPUB-DOCUMENT-NUMBER: 20020170436

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20020170436 A1

TITLE: Adsorbent coating compositions, laminates and adsorber elements comprising

such compositions and methods for their manufacture and use

PUBLICATION-DATE: November 21, 2002

#### INVENTOR-INFORMATION:

NAME	CITY	STATE	COUNTRY	RULE-47
Keefer, Bowie G.	Vancouver		CA	
Carel, Alain A.	Vancouver		CA	
Sellars, Brian G.	Coquitlam		CA	
Shaw, Ian S.D.	Richmond	•	CA	
Larisch, Belinda C.	Vancouver		CA	
Doman, David G.	Surrey		CA	
Lee, Frederick K.	Burnaby		CA	
Gibbs, Andrea C.	Burnaby		CA	
Hetzler, Bernard H.	Surrey		CA .	
Sawada, James A.	Vancouver		CA	
Pelman, Aaron M.	Richmond		CA	
Hunter, Carl F.	Vancouver		CA	

US-CL-CURRENT: 96/121; 423/700

full Title Citation Front Review Classification Date Reference Sequen	nces Attachments Claims KMC	
ear Generate Collection Print Fwd Refs E	kwd Refs Generale OA	C
Term	Documents	
GEOMETRIC	138098	
GEOMETRICS	841	
SHAPE?	0	
SHAPEA	6	